

Fronius Smart Meter TS 5kA-3, three-phase meter

Product code: **AF.licznik.fronius.01**



The Fronius Smart Meter TS 5KA-3 is a bidirectional electric energy meter designed to optimize the consumption of self-produced energy and to record the load profile of a household. Collaborating with Fronius inverters, the Fronius Datamanager device, and the Fronius data interface, the Fronius Smart Meter TS enables a clear presentation of energy consumption data. The meter measures the power flow to appliances or to the grid and communicates this information to Fronius inverters and the Fronius Datamanager device using Modbus RTU/RS485 communication.

Product variants

Index	Price
Fronius Smart Meter TS 5kA-3, three-phase meter AF.licznik.fronius.01	Product prices only visible after login. If you do not have an account, please register.

Product description

The Fronius Smart Meter TS 5KA-3 is a bidirectional electric energy meter designed to optimize the consumption of self-produced energy and to record the load profile of a household. Collaborating with Fronius inverters, the Fronius Datamanager device, and the Fronius data interface, the Fronius Smart Meter TS enables a clear presentation of energy consumption data. The meter measures the power flow to appliances or to the grid and communicates this information to Fronius inverters and the Fronius Datamanager device using Modbus RTU/RS485 communication. Technical specifications of the Fronius Smart Meter TS 5KA-3: Nominal voltage: 400-480V (L-L) / 230-277V (P-N) Maximum current: 6A Power supply connector cross-section: 4 mm² Communication wire connector cross-section: 0.5mm² Own consumption: 1.5W Starting current: 10.0 mA Accuracy class: 1.0 Mounting: Internal (DIN rail) Housing: 3 modules DIN 43880 Display: 3 x 8-digit / LCD Dimensions: Width 91.5mm / Height 53.8mm / Depth 63mm.

