

## Jinko Solar JKM440N-54HL4R-B 440Wp (FB)

Product code: PV.jinko.fb.ntype.440.b



### Od ilości:

≥ 36 pcs.

Product prices only visible after login. If you do not have an account, please register.

≥ 360 pcs.

Product prices only visible after login. If you do not have an account, please register.

Key advantages of the Jinko Solar JKM440N-54HL4R-B module:

- Full Black technology
- High efficiency
- Elegant appearance
- Low power degradation

Technical specifications of Jinko Solar JKM440N-54HL4R-B:

Maximum Power (Pmpp): 440 Wp  
Open Circuit Voltage (Voc): 41.8 V  
Short Circuit Current (Isc): 10.8 A  
Voltage at Pmax (Vmpp): 34.5 V  
Current at Pmax (Impp): 12.8 A  
Module efficiency: 20.5%  
Cell type: Monocrystalline  
Dimensions: L: 1762 mm B: 1134 mm H: 30 mm  
Weight: 22 kg

Warranty: 25 years on product, 30 years on linear power degradation"}>Jinko Solar JKM440N-54HL4R-B is a 440W photovoltaic panel utilizing Full Black (FB) technology for an elegant appearance and better roof integration. Its high efficiency and reliability make it an ideal solution for both residential and commercial installations.

Key advantages of the Jinko Solar JKM440N-54HL4R-B module:

- Full Black technology
- High efficiency
- Elegant appearance
- Low power degradation

Technical specifications of Jinko Solar JKM440N-54HL4R-B:

Maximum Power (Pmpp): 440 Wp  
Open Circuit Voltage (Voc): 41.8 V  
Short Circuit Current (Isc): 10.8 A  
Voltage at Pmax (Vmpp): 34.5 V  
Current at Pmax (Impp): 12.8 A  
Module efficiency: 20.5%  
Cell type: Monocrystalline

Dimensions: 1909 x 1134 x 35 mm

Weight: 22 kg

Warranty: 12 years on product, 25 years on linear power degradation

---

## Product variants

Index	Price
<b>Jinko Solar JKM440N-54HL4R-B 440Wp (FB)</b> <b>PV.jinko.fb.ntype.440.b</b>	Product prices only visible after login. If you do not have an account, please register.

---

## Product description

Key advantages of the Jinko Solar JKM440N-54HL4R-B module:

- Full Black technology
- High efficiency
- Elegant appearance
- Low power degradation

Technical specifications of Jinko Solar JKM440N-54HL4R-B:

Maximum Power (Pmpp): 440 Wp

Open Circuit Voltage (Voc): 41.8 V

Short Circuit Current (Isc): 10.8 A

Voltage at Pmax (Vmpp): 34.5 V

Current at Pmax (Impp): 12.8 A

Module efficiency: 20.5%

Cell type: Monocrystalline

Dimensions: L: 1762 mm B: 1134 mm H: 30 mm

Weight: 22 kg

Warranty: 25 years on product, 30 years on linear power degradation"}>Jinko Solar JKM440N-54HL4R-B is a 440W photovoltaic panel utilizing Full Black (FB) technology for an elegant appearance and better roof integration. Its high efficiency and reliability make it an ideal solution for both residential and commercial installations.

Key advantages of the Jinko Solar JKM440N-54HL4R-B module:

- Full Black technology
- High efficiency
- Elegant appearance
- Low power degradation

Technical specifications of Jinko Solar JKM440N-54HL4R-B:

Maximum Power (Pmpp): 440 Wp

Open Circuit Voltage (Voc): 41.8 V

Short Circuit Current (Isc): 10.8 A

Voltage at Pmax (Vmpp): 34.5 V

Current at Pmax (Impp): 12.8 A

Module efficiency: 20.5%

Cell type: Monocrystalline

Dimensions: 1909 x 1134 x 35 mm

Weight: 22 kg

Warranty: 12 years on product, 25 years on linear power degradation

---