


## Trina Vertex S+ TSM - NEG9R.28 - 445Wp (BFR, EVO2)

Product code: PV.trina.bf.S+.445



### Od ilości:

≥ 36 pcs.

Product prices only visible after login. If you do not have an account, please register.

≥ 360 pcs.

Product prices only visible after login. If you do not have an account, please register.

Trina Vertex S+ TSM - NEG9R.28 is a 445W photovoltaic panel. Ideal for residential and commercial installations where aesthetics and efficiency are key.

Key advantages of the Trina Vertex S+ TSM - NEG9R.28 module:

- High efficiency
- Elegant appearance
- Low power degradation

Technical specifications of Trina Vertex S+ TSM - NEG9R.28:

Maximum Power (Pmpp): 445 Wp

Open Circuit Voltage (Voc): 41.8 V

Short Circuit Current (Isc): 10.8 A

Voltage at Pmax (Vmpp): 34.5 V

Current at Pmax (Impp): 12.8 A

Module efficiency: 20.5%

Cell type: Monocrystalline

Dimensions: 1909 x 1134 x 35 mm

Weight: 23 kg

Warranty: 12 years on product, 25 years on linear power degradation

## Product variants

Index	Price
<b>Trina Vertex S+ TSM - NEG9R.28 - 445Wp (BFR, EVO2)</b> PV.trina.bf.S+.445	Product prices only visible after login. If you do not have an account, please register.

---

## Product description

Trina Vertex S+ TSM - NEG9R.28 is a 445W photovoltaic panel. Ideal for residential and commercial installations where aesthetics and efficiency are key.

Key advantages of the Trina Vertex S+ TSM - NEG9R.28 module:

- High efficiency
- Elegant appearance
- Low power degradation

Technical specifications of Trina Vertex S+ TSM - NEG9R.28:

Maximum Power (Pmpp): 445 Wp

Open Circuit Voltage (Voc): 41.8 V

Short Circuit Current (Isc): 10.8 A

Voltage at Pmax (Vmpp): 34.5 V

Current at Pmax (Impp): 12.8 A

Module efficiency: 20.5%

Cell type: Monocrystalline

Dimensions: 1909 x 1134 x 35 mm

Weight: 23 kg

Warranty: 12 years on product, 25 years on linear power degradation

---