

Compatibility List of Pylontech ESS and Inverters

Ver.2.1 Last Update: 06/26/2023

Inverter Brand	Inverter Type	Battery	Communication	Application	Key Features		Firmware Ver	Installation	
					Activation	Force Charge			
Ingemant Power Technology	ISS 1Play 3TL / 6TL	Powercube X10Q/H1/H2 Powercube X10Z/H1/H2-V2 Force H1/H2-V2	CAN	On/off-grid	Yes	Yes	ABH1002AA ABH1003_0(disp)	Wall mounting	
	ISS 1Play 3TL.M / 6TL.M		CAN	On/off-grid	Yes	Yes	ABH1007_A ABH1003_0(disp)	Wall mounting	
Sols	RH1-1P-HVES-SG series(1) RH1-3P-HVES-SG series(2) SE-8H103.0.1-6K/4.0/5.0		CAN	On/off-grid	Yes	Yes	10681 400X2(2)	Wall mounting	
	SMA Solar Technology AG		SBS 3.7-10 / SBS6.0-10**	CAN	On/off-grid	Yes	Yes	04.04.03.R	Wall mounting
KOSTAL Industrie Elektronik GmbH	PLENTICORE plus** PLENTICORE plus G2** PLENTICORE BI wuz2** PLENTICORE BI wuz3 G2**		RS485	On/off-grid	Yes	Yes	02.08.xxxxx	Wall mounting	
	Sungrow		SH5.0E.0B.010.DRT	CAN	On/off-grid	Yes	Yes	SAPPHIRE.H.V11.V01_A	Wall mounting
	Delco s.r.l.		DLX HV series	CAN	On/off-grid	Yes	Yes	V3.00	Wall mounting
	Goodwe		EHET/ET/BI series	CAN	On/off-grid	Yes	Yes	V14	Wall mounting
	EATON		xStorage Home 3P Series	CAN	On/off-grid	Yes	Yes	V3.00	Wall mounting
	SolarMax		ES-T Series	CAN	On/off-grid	Yes	Yes	V3.00	Wall mounting
	Daye(Sunsky)	SUN-5-20K-SG01HPS-ELP SUN-03-20K-SG01HPS-ELP SUN-29.9-60K-SG01HPS-ELP	CAN	On/off-grid	Yes	Yes	2001.X018	Wall mounting	
	Lux Power	Hybrid HB series	CAN	On/off-grid	Yes	Yes		Wall mounting	
	Redback	RB-HV/EST10000(1) RB-HV5.AC18(200/2)	Modbus RTU	On/off-grid	Yes	Yes	V2.6(1) V2.9(2)	Cabinet	
	Solar	HYD 1000q15000/2000 TL-3PH	CAN	On/off-grid	Yes	Yes	FW: D0110036 dgm_v010007	Wall mounting	
Sunways	STH-4-12KTL-HT series STH-3-6KTL-HS series	Powercube X10Q/H1/H2 Powercube X10Z/H1/H2-V2 Force H1/H2-V2	CAN	On/off-grid	Yes	Yes	ARM_V0054	Wall mounting	
	STH-4-12KTL-HT series STH-3-6KTL-HS series		Modbus RTU	On/off-grid	Yes	Yes	2148E_004R(1) 2142E_006R(6) 2144_0037**00(2)	Wall mounting	
eACTUS	WH-SPA-3.6R(1) WH-SPA-1.8R(1) WH-SHC series(2) WH-TNA series(2)		CAN	On/off-grid	Yes	Yes		Wall mounting	
	SE 36-600HB-HV SE 3K-300HB-D3		CAN	On/off-grid	Yes	Yes	V010000	Wall mounting	
Salbru S.A.	EDX2 3001-8002-HSX series EKX2 4002-12002-HT series		CAN	On/off-grid	Yes	Yes	V1_28_45_04_00	Wall mounting	
HYPONTECH	HHS series(1) HBS series(1) HHT series(2) HBT series(2)		CAN	On/off-grid	Yes	Yes	Ver.23(1) Ver.29(2)	Wall mounting	
AISWEI	ASW08H08H10H12H15H4-T(1) ASW08H08H08H10H12H15H4-T(2) ASW08H410H412H4-T(2)		CAN	On/off-grid	Yes	Yes	DSP-1.04.00(1) ARM-V03.0005-00(1) V610-05001-00(2)	Wall mounting	
SOLINTEG	MHT 4-20K Series MHT 25-50K Series MHS 3-3R Series MRT 5-20K Series MRT 25-50K Series MRS 3-3R Series		CAN	On/off-grid	Yes	Yes	ARM_V01(08)	Wall mounting	
	ETEK		ETH-3-6KTL-HS Series ETH-4-20KTL-HT Series ETH-25-50KTL-LHT Series	CAN	On/off-grid	Yes	Yes	ARM_V01(08)	Wall mounting
MEGAREVO	RS-19KV3 Series		CAN	On/off-grid	Yes	Yes	ARMEV1.02.13 DSP.V1.03.14	Wall mounting	
	RS-12KHVA Series	CAN	On/off-grid	Yes	Yes	ARMEV1.01.41 DSP.V1.03.20	Wall mounting		
Hymtes	HYT-HV Series	CAN	On/off-grid	Yes	Yes	Power - V00.04.07 Safety - V00.04.06 System - V00.02.18	Wall mounting		
	HAT-HV Series	CAN	On/off-grid	Yes	Yes	320701	Wall mounting		
KOYOE	KY-EST06KH-HV-EST20KH	CAN	On/off-grid	Yes	Yes		Wall mounting		
Dream Maker	PCS-3-4-20kW-250qA-1 PCS-1-3-3kW-300qA-1 PCS-3-25-50kW-100K-1	CAN	On/off-grid	Yes	Yes	ARM_V01(08)	Wall mounting		
	SAJ	H2-3K-6K-52 H2-5K-10K-T2	CAN	On/off-grid	Yes	Yes	V1.018	Wall mounting	
LEDIT	FVdx series	CAN	On/off-grid	Yes	Yes	V3.00	Wall mounting		
Sermango	SMT-10K/20K/30K-TL-TH	CAN	On-grid	Yes	Yes		Wall mounting		
Inson Energy	3/2.74.65H/7	CAN	On/off-grid	Yes	Yes	V1.10	Wall mounting		
Wayss	SPN1000TL3	CAN	On/off-grid	Yes	Yes	V410	Wall mounting		
Tops	TSOL-HVA-3.0-6-6K-H	CAN	On/off-grid	Yes	Yes	DSP-V1.0 ARM.V1.14	Wall mounting		
GMDE	TBS200TD	CAN	On-grid	Yes	Yes	1.0.3	Wall mounting		
Blue Mountain Energy	Infinisolar TX-PA 30K	Modbus RTU	On/off-grid	Yes	Yes	2008.27.12	Cabinet		
	BME 20 BME 30	Modbus RTU	On/off-grid	Yes	Yes	DSP1.01.2212 MCU.2011.1712	Cabinet		
SOLINTEG	MHT 25-50K Series MRT 25-50K Series	CAN	On/off-grid	Yes	Yes	ARM_V01(08)	Wall mounting		
ATESS	HPS3050/100120150	CAN	On/off-grid	Yes	Yes	HPS30K_100K_HV3_SV9-1.3	Cabinet		
MEGAREVO	MPS0030-0500 Series MEGA0030-0500 Series MEGA0500MEGA0630	CAN	On/off-grid	Yes	Yes	V302B400D014 V102B600D014	Cabinet		
	Growcool	GW-MPS0030-0500 Series	CAN	On/off-grid	Yes	Yes	V302B400D014	Cabinet	
Elacac	Battery Inverter	Customized with additional EMS	On/off-grid					Cabinet	
Ferroamp	EnergyHub								
Sungrow	SC series								
Sinencol	PWS/PWG series								
Kehua	BC5 series								

**When compatible with Daye hybrid inverter mentioned in the list above, make sure the Battery Controller firmware is as below or higher:
 (1) Force-H1-V2, V1.7; (2) Force-H1-H2-V2, V1.1; (3) Powercube-XH-V2, V1.7; Powercube-XH-V2, V1.2;
 *Only Force-H1-V2 and Force-H2-V2 is compatible with SMA Sunny Boy Storage inverters mentioned in the list above.
 **Only Force-H1-V2 and Force-H2-V2 is compatible with Kostal PLENTICORE series inverter mentioned in the list above.

Note: Compatible tests with different brands of inverter are continuously, updates of this list will be periodically.
 For any query, please contact: sales@pylontech.com

Compatibility List of Pylontech ESS and Inverters

Ver.2.21 Last Update: 06/26/2023

48V Energy Storage Solution (US2000 / US2000V2 / US3000 / US2000C / US3000C / US5000 / US5000-B / UP5000 / Phantom-S / Force-L1/L2 / Pelio-L)

Inverter Brand	Inverter Type	Communication	Application	Key Features		Firmware Ver	Installation
				Activation	Force Charge		
Victron Energy	Multiplus 48V (via Venus OS)	CAN	On/off-grid*	Yes	Yes	422/V2.15	Wall mounting
	Quattro 48V (via Venus OS)	CAN	On/off-grid*	Yes	Yes	422/V2.15	Wall mounting
SMA Solar Technology AG	SI 4.4-M	CAN	On/off-grid****	No	Yes		Wall mounting
	SI 6.0-H						
	SI 8.0-H						
	SI 6048US						
Schneider-Electric	Conext XW Pro series	CAN	On/off-grid	Yes	Yes	Gateway: V1.06 XW+ Pro: V1.04 (UL) / V1.05 (IEC)	Wall mounting
Goodwe	GW-BP	CAN	On-grid	Yes	Yes		Wall mounting
	SBP GW-ES	CAN	On-grid	Yes	Yes		Wall mounting
	EM	CAN	On-grid	Yes	Yes		Wall mounting
Imeon Energy	IMEON 3.6	CAN	On/off-grid	Yes	Yes	V1.7.6.5	Wall mounting
	IMEON 9.12	CAN	On/off-grid	Yes	Yes	V1.7.6.5	Wall mounting
Studer Innotec	Xtender 48V serie	CAN	On/off-grid	Yes	Yes	R652	Wall mounting
	VarioString serie	CAN	On/off-grid	Yes	Yes	R652	Wall mounting
	VarioTrack 48V serie	CAN	On/off-grid	Yes	Yes	R652	Wall mounting
Selectronic	SPMC 480	CAN	On/off-grid	No	Yes		Wall mounting
	SPMC 481	CAN	On/off-grid	No	Yes		Wall mounting
	SPMC 482	CAN	On/off-grid	No	Yes		Wall mounting
Voltronic	Infinisolar series 48V	RS485(9600)	On/off-grid	Yes	Yes	V1.00	Wall mounting
	Expert series 48V**	RS485(9600)	On/off-grid	Yes	Yes	V2.61	Wall mounting
Sofar	ME3000SP	RS485(115200)/CAN	On-grid	Yes	Yes	V1.2	Wall mounting
	HYD series	RS485(115200)/CAN	On-grid	Yes	Yes	V1.2	Wall mounting

Compatibility List of Pylontech ESS and Inverters

Ver.2.21 Last Update: 06/26/2023

48V Energy Storage Solution (US2000 / US2000V2 / US3000 / US2000C / US3000C / US5000 / US5000-B / UP5000 / Phantom-S / Force-L1/L2 / Pelio-L)

Inverter Brand	Inverter Type	Communication	Application	Key Features		Firmware Ver	Installation
				Activation	Force Charge		
Sermatec	SMT-5K-TL-LV	RS485(9600)/CAN	On/off-grid	Yes	Yes		Wall mounting
Zucchetti Centro Sistemi	Azzurro 3000SP	RS485(115200)/CAN	On-grid	Yes	Yes	V1.2	Wall mounting
	Azzurro HYD3000/6000-ES	RS485(115200)/CAN	On-grid	Yes	Yes	V1.2	Wall mounting
Solis	RHI series	CAN	On/off-grid	PV only	Yes	90009	Wall mounting
	RAI series	CAN	On/off-grid	PV only	Yes	90009	Wall mounting
Redback	SH5000	RS485(115200)	On-grid	PV only	No		Cabinet
Deye(Sunsynk)	SUN-SG01LP1 series	CAN	On/off-grid	Yes	Yes	V1586	Wall mounting
	SUN-SG03LP1 series	CAN	On/off-grid	Yes	Yes	V1586	Wall mounting
Alpha & Outback Energy	SPCIII-5000-48	RS485(9600)	Off-grid	Yes	Yes	91.24	Wall mounting
	SPCIII-7200-48					45.06	
	SPCIIIS-5000-48					71.1	
Lux Power	LXP 3-6K Hybrid	CAN	On/off-grid	Yes	Yes	AA1.0	Wall mounting
	ACS series					AA1.0	
	SNA series					AA1.0	
	LXP-LB-EU Series					EA1.0 (for 8K/10K model) fA1.0 (for 12K model)	
LXP-LB-US Series							
Sungrow	SH5K	CAN	On-grid	Yes	Yes	V13	Wall mounting
Morningstar	TriStar MPPT in 48V	N/A	On/off-grid	PV only	No	v32b	Wall mounting
	TriStar MPPT 600V in 48V	N/A	On/off-grid	PV only	No	v32b	Wall mounting
	TriStar PWM TS-45 in 48V	N/A	On/off-grid	PV only	No	v32b	Wall mounting
	GS-MPPT-60M/80M/100M-200V*****	CAN	On/off-grid	PV only	No	v2.0	Wall mounting
Delios s.r.l.	DLS/C series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting
	DLS AC series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting
Ingeteam Power Technology	ISS 1Play TL M series	CAN	On/off-grid	Yes	Yes	ABH1007_D	Wall mounting
MLT	Oasis 448	N/A	Off-grid	No	Yes	V2.19	Wall mounting
	Oasis 648	N/A	Off-grid	No	Yes	V2.19	Wall mounting
Steca	Solarix PLI 5000-48	N/A	Off-grid	Manual	No		Wall mounting
SAJ	Sunfree series	RS485(9600)	On/off-grid	Yes	Yes	V2.031/V1.037	Wall mounting
	H1 series	CAN	On/off-grid	Yes	Yes	V2.094/V1.318	Wall mounting

Compatibility List of Pylontech ESS and Inverters

Ver.2.21 Last Update: 06/26/2023

48V Energy Storage Solution (US2000 / US2000V2 / US3000 / US2000C / US3000C / US5000 / US5000-B / UP5000 / Phantom-S / Force-L1/L2 / Pelio-L)

Inverter Brand	Inverter Type	Communication	Application	Key Features		Firmware Ver	Installation
				Activation	Force Charge		
SolarMax	ES series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting
	AC series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting
Growatt	SPH3000 - 6000	CAN	On/off-grid	No	Yes	RA1.0	Wall mounting
	SPF2000 - 5000 HVM-48/LVM-48P***	RS485(9600)	On/off-grid	No	Yes	GW500.08/502.05/503.03/507.03	Wall mounting
	M2000H/3000H/5000H - 48***	RS485(9600)	On/off-grid	No	Yes	SK001.11/012.06/013.03/035.00	Wall mounting
Sol-Ark	Sol-Ark-5K/8K-48-ST, Sol-Ark-5K-120V, Sol-Ark-8K-120/230V, Sol-Ark-8K-230-1P, Sol-Ark-12K-P, Sol-Ark-12K-3P-380V, Limitless 15K-LV	CAN	On/off-grid	Yes	Yes	V1430	Wall mounting
AXIOMA energy	ISPWM 5000	N/A	On/off-grid	No	No		Wall mounting
	ISMPT BF 3000 - 5000	N/A	On/off-grid	No	No		Wall mounting
	ISGRID (BF) 3000 - 5000	N/A	On/off-grid	No	No		Wall mounting
Phocos	Any-grid PSW-H-5kW-230/48V	RS485(9600)	On/off-grid	Yes	Yes	V1.00	Wall mounting
Western CO.	LEONARDO PRO 3000/48 Li (via Western LK3)	CAN	On/off-grid	Yes	Yes	V1.1	Wall mounting
EFFEKTA	AX-M1 4000/5000-48 (via Com Box)	RS485(9600)	On/off-grid	Yes	Yes	54.40/74.40	Wall mounting
	AX-K1 4000/5000-48 (via Com Box)	RS485(9600)	On/off-grid	Yes	Yes	14.40/34.40	Wall mounting
	AX-M2 4000/5000-48	RS485(9600)	On/off-grid	Yes	Yes	51.00/72.01	Wall mounting
Kehua	SPH5000-BL	CAN	On-grid	Yes	Yes	V1.00.013	Wall mounting
INVT	BD series	CAN	On/off-grid	Yes	Yes	V1.06	Wall mounting
TBB	Kinergie Pro Series: CK-II 2.0S-3.0S	CAN	On/off-grid	No	Yes	DSP: V1.03C LCD: V1.01B	Wall mounting
	Kinergie Pro Series: CK4.0S-8.0S	CAN	On/off-grid	No	Yes	DSP: V1.23A LCD: V1.21A	Wall mounting
MUST	PV1800 VHM 3KW - 5.5KW	CAN	On/off-grid	No	Yes	1.17.06	Wall mounting
Moixa	Smart Battery V4 3000	CAN	On-grid	Yes	Yes	V2.2.1	Wall mounting
	GridShare Hub	CAN	On-grid	Yes	Yes	V2.2.1	Wall mounting

Compatibility List of Pylontech ESS and Inverters

Ver.2.21 Last Update: 06/26/2023

48V Energy Storage Solution (US2000 / US2000V2 / US3000 / US2000C / US3000C / US5000 / US5000-B / UP5000 / Phantom-S / Force-L1/L2 / Pelio-L)

Inverter Brand	Inverter Type	Communication	Application	Key Features		Firmware Ver	Installation
				Activation	Force Charge		
MEGAREVO	RKL1 Series	CAN	On/off-grid	Yes	Yes	ARM: 1.00.28 DSP: 1.01.23	Wall mounting
	R5K/6K/7K/8K/LNA	CAN	On/off-grid	Yes	Yes	ARM:1.03.12 DSP:1.04.11	Wall mounting
AISWEI	ASW3000/3680/4000/5000H-S	CAN	On/off-grid	Yes	Yes	master v610-02001-00	Wall mounting
	ASW3000/3680/4000/5000/6000H-S2					DSP:V610-02003-01 Safety:V610-10008-p3	Wall mounting
SOROTEC	REVO II - 48V Series	CAN	On/off-grid	Yes	Yes	Inverter:1.5.4 Control board: 64	Wall mounting
	REVO E PLUS - 48V Series		Off-grid				
	REVO VM II - 48V Series						
	REVO VM PLUS - 48V Series						
FSP Power Solution GmbH	PowerManager series 4-15kW Offgrid PMI III / Zero	RS485(9600)	On/off-grid	Yes	Yes	V1.00 V2.61	Wall mounting
Senergy	SE 4K6/5K/6KHB-60/120	RS485(9600)*****	On/off-grid	PV only	Yes	0.6.0	Wall mounting
	SE 4K6/5K/6KAC		No	Yes			
Livoltek	Hyper series	CAN	On/off-grid	Yes	Yes	1.78	Wall mounting
	Retro series		Off-grid				
	GF1-3K/5K/48S1						
	BV1-3K/5K/48S1						
Hoymiles	HYS-LV Series	CAN	On/off-grid	Yes	Yes	Power - V01.04.19 and above Safety - V01.02.13 and above System - V00.02.18 and above	Wall mounting
	HAS-LV Series						
EAST	EAH1-3000 ~ 6000-SL	RS485	On/off-grid	Yes	Yes	master V1001, dsp V1004	Wall mounting
LEDIT	FVDi series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting
Growocol	MKS IV 5.6KW -B MKS IV 6KW TWIN MAX II-8000	RS485(9600)	On/off-grid	Yes	Yes		Wall mounting
OPTI-Solar	SP5000 Brilliant series	RS485(9600)	On/off-grid	Yes	Yes	V1.00/00.32	Wall mounting
	SP5000 Regal/Handy Plus	RS485(9600)	On/off-grid	Yes	Yes	V1.00/00.32	Wall mounting
	SP4000/10000 Premium	RS485(9600)	On/off-grid	Yes	Yes	V1.00/00.32	Wall mounting
GMDE	SolDate 3700TL+BM024	RS485(9600)	On-grid	No	Yes	V2.0.1	Wall mounting

*When compatible with Victron Multi/Quattro in off-grid application via Venus-device, it is required to have a Victron MPPT or other compatible PV inverter with Victron to avoid the system getting shut down.
 **When compatible with Voltronic Axpert series, only VM III and King two types are available for RS485 communication, for the rest types of Axpert only available for manual settings. When using VM III and King, only launch firmware 02.61 or higher can work with Force L1/L2.
 ***When compatible with Growatt SPF/M series corresponding type, according to inverter logic, the depth of discharge(DoD) of battery shall be set to 80% or lower. Otherwise may lead to system shut down and need of manually recharge battery.
 ****When compatible with SMA SI4.4-M / SI6.0-H / SI8.0-H, it's required to follow the min. configuration table for SMA for a guaranteed configuration. The Force L1/L2 is not compatible with SMA SI series.
 *****When compatible with Senergy inverter, max. configure 1 string of battery system, donot support multiple strings' connection.
 *****When compatible with GS-MPPT-60M/80M/100M-200V, it requires optional ReadyBMS accessory.

Note: Compatible tests with different brands of inverter are continuously, updates of this list will be periodically.
 For any query, please contact: service@pylontech.com.cn

